

App. No. 10/771,896  
Amendment Dated: April 16, 2007  
Reply to Office Action of January 16, 2007

RECEIVED  
CENTRAL FAX CENTER

APR 16 2007

**Amendments to the Claims:**

1 (currently amended): A method for synchronizing a device with data sources and allowing cross-pollination of the data sources, comprising:

creating a first data source and a second data source;

determining items to synchronize between the first data source, the second data source and the device;

connecting the device to a first data source;

synchronizing the device with the first source such that the device and the first source each include a same version of the items after the synchronizing;

connecting the device to a second source; and

synchronizing the device with the second source, wherein the device ~~may be~~ is used to cross-pollinate between the first data source and the second data source such that the first data source, the second data source and the device each include the same version of the items after the synchronizing and cross-pollinating.

2 (original): The method of Claim 1, further comprising performing a duplicate detection check to determine when an item has already been synchronized.

3 (original): The method of Claim 2, wherein performing the duplicate detection check further comprises performing a property comparison.

4 (original): The method of Claim 2, wherein performing the duplicate detection check further comprises calculating a sync hash value.

5 (original): The method of Claim 2, further comprising updating the item when the item has already been synchronized.

6 (original): The method of Claim 1, further comprising receiving a delete command and performing the delete command, wherein the delete command is selected from a soft delete and a hard delete.

App. No. 10/771,896  
Amendment Dated: April 16, 2007  
Reply to Office Action of January 16, 2007

7 (original): The method of Claim 2, further comprising restricting cross-pollination between the data sources.

8 (original): The method of Claim 2, wherein creating the first data source and the second data source further comprises indicating a data source type and storing an identifier associated with each of the first data source and the second data source.

9 (original): The method of Claim 2, wherein synchronizing the device with the first data source may use a first synchronization protocol and synchronizing the device with the second protocol may use a second synchronization protocol.

10 (currently amended): A computer-readable storage medium for cross-pollinating data sources, comprising:

creating at least two data sources to synchronize with a device;

determining items to synchronize between the at least two data sources and the device;

synchronizing the device with the at least two data sources; and

cross-pollinating data between the at least two data sources such that the at least two data sources and the device each include the same version of the items after the synchronizing and cross-pollinating.

11 (original): The computer-readable medium of Claim 10, further comprising performing a duplicate detection check to determine when an item has already been synchronized.

12 (original): The computer-readable medium of Claim 11, wherein performing the duplicate detection check further comprises calculating a sync hash value.

13 (original): The computer-readable medium of Claim 11, further comprising receiving a delete command and performing the delete command, wherein the delete command is selected from a soft delete and a hard delete.

App. No. 10/771,896

Amendment Dated: April 16, 2007

Reply to Office Action of January 16, 2007

14 (original): The computer-readable medium of Claim 13, further comprising restricting cross-pollination between the data sources.

15 (original): The computer-readable medium of Claim 13, wherein creating the at least two data sources further comprises indicating a data source type and storing an identifier associated with each of the at least two data sources.

16 (original): The computer-readable medium of Claim 13, wherein synchronizing the device with the at least two data sources may use more than one synchronization protocol.

17 (currently amended): A system for cross-pollinating data sources, comprising: at least two data sources that may cross-pollinate each other; and

a device that is configured to act a shuttle between the at least two data sources to cross-pollinate, and that is configured to synchronize with the at least two data sources such that after synchronizing and cross-pollinating, the device and the at least two data sources include a same version of items that were selected to be synchronized.

18 (original): The system of Claim 17, wherein the device is further configured to perform a duplicate detection check to determine when an item has already been synchronized.

19 (original): The system of Claim 18, wherein performing the duplicate detection check further comprises calculating a sync hash value.

20 (original): The system of Claim 18, wherein the device is configured to process a soft delete command and a hard delete command.

21 (original): The system of Claim 20, wherein the device is further configured to restrict cross-pollination between the at least two data sources.

22 (original): The system of Claim 21, wherein synchronizing the device with the at least two data sources may use more than one synchronization protocol.